

SPS Permit Guidance

Movement of Non-Pasteurized Liquid Egg to Pasteurization

RISK ASSESSMENT FOR MOVEMENT: Completed; USDA reviewed January 2009

*Non-pasteurized liquid eggs originating from premises within an HPAI Control Area moving to premises for pasteurization represent a **negligible risk**, provided that the permit guidance below has been met. Non-pasteurized liquid egg moving to a pasteurization plant may move within or out of the Control Area by permit.*

PERMIT GUIDANCE:

1. Traceability information (premises ID, GPS coordinates, or other) is available.
2. Flock production parameters are normal.
3. Truck & driver biosecurity is implemented.
4. The RRT-PCR result is negative for HPAI on the day of movement (one 5-bird pool or 11-bird pool sample per 50 dead birds from each house on the premises).

1. Traceability information (premises ID, GPS coordinates, or other) is available.

- For permitted movement through EMRS, an accurate national premises identification number (i.e., 7 character alphanumeric code as described in 9 CFR § 71.1, not the state ID) or other acceptable ID system for movement is required.

2. Flock production parameters are normal.

3. Truck & driver biosecurity is implemented.

- The risks of spreading virus to and from the premises associated with the truck (including possible transportation of insects) must be managed in accordance with specific industry and commodity recommendations.
 - The cargo interior and exterior of the transport vehicle must be cleaned and disinfected.
 - The tires and wheel wells must also be cleaned and disinfected before leaving the premises within the Control Area.
- The risks of spreading virus to and from the premises associated with the driver must be managed in accordance with specific industry and commodity recommendations.
 - The driver should remain inside the cab of the vehicle.
 - If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab.

4. The RRT-PCR result is negative for HPAI on the day of movement (one 5-bird pool or 11-bird pool sample per 50 dead birds from each house on the premises).
